

GREEN
Gourmet


PRODUCTSPECIFICATION:

Slimming balance – organic herbal infusion

ITEM No.: 1106

HS Code: 21069099

Updated: 12-01-2021



ENGLISH

Slimming balance – herbal infusion

Dansk

Slimming balance - urte infusion

<p>Herbal infusions are healthy alternatives to caffeinated beverages. Made from herbs, flowers and roots. Mixed according to ancient Ayurvedic traditions where individuals should enjoy good vitality and maintain a good condition when seeking to maintain the balance between the 3 doshas. The infusion tridoshic Bio - provides advanced ginger to harmonize the three doshas.</p> <p>To help pacify Vata, it combines the cinnamon, the licorice with cloves.</p> <p>The balance Pitta is favored by cinnamon, coriander and freshness of mint.</p> <p>Kapha find its equilibrium with ginger.</p>	<p>Urte infusioner repræsenterer et sundt alternativ til koffeinholdige drikke. Smag og næringsstoffer udtrukket af urter, blomster og rødder, blandet efter antikke Ayurvediske traditioner således at det enkelte menneske får vitalitet og god tilstand i fuld balance mellem de 3 tilstande (doshas)</p> <p>For at understøtte Vata (den kraft der balancerer luft og rum) kombineres kanel, lakrids og nelliker.</p> <p>For at understøtte Pitta (ild og vand styrer stofskifte) kanel, koriander og mynte</p> <p>Kapha (jord og vand integritet krop og sind) blandes med ingefær</p>																																								
<p>Ingredients</p>	<p>Ingredienser</p>																																								
<p>Licorice (Glycyrrhiza glabra) * Fennel (Foeniculum vulgare) * Triphala (phyllanthus emblica, Terminalia bellirica, Terminalia chebula) * Trikatu (Piper nigrum Piper longum, Zingiber officinale)* Guggul(Commiphora Wightii)* Ajwain (Trachyspermum ammi)* Fenugreek (Trigonella foenum-graecum) Black Cumin (Nigella sativa)</p>	<p>Lakrids, fennikel, Triphala, Trikatu, Ingefær, Guggul, Aiwain, bukkehorn, sort spidskommen</p>																																								
<p>Hazard identification</p>	<p>Identifikation af skade</p>																																								
<p>Routes to entry: Eyes: Mild irritation may occur Skin: No known hazards Inhalation: Irritation (itching, inflammation) may occur Ingestion: No known hazard</p>	<p>Indgangsveje: Øjne: Mild irritation kan forekomme Hud: Ingen kendt fare Inhalering: Irritation (kløen, inflammation) kan forekomme Oralt indtag: Ingen kendt fare</p>																																								
<p>First measures:</p>	<p>Førstehjælp</p>																																								
<table border="1"> <tr> <td data-bbox="38 1057 383 1167">Eyes</td> <td data-bbox="383 1057 778 1167">Flush with plenty of water or eye wash solution for 15 minutes. Get medical attention if irritation persists</td> </tr> <tr> <td data-bbox="38 1176 383 1263">Skin</td> <td data-bbox="383 1176 778 1263">Due to its use in cosmetics, no adverse effects are expected, remove to fresh air.</td> </tr> <tr> <td data-bbox="38 1272 383 1413">Inhalation</td> <td data-bbox="383 1272 778 1413">Remove to fresh air. If continued respiratory irritation occurs or if breathing becomes difficult, see anti-histamine under medical supervision.</td> </tr> </table>	Eyes	Flush with plenty of water or eye wash solution for 15 minutes. Get medical attention if irritation persists	Skin	Due to its use in cosmetics, no adverse effects are expected, remove to fresh air.	Inhalation	Remove to fresh air. If continued respiratory irritation occurs or if breathing becomes difficult, see anti-histamine under medical supervision.	<table border="1"> <tr> <td data-bbox="785 1057 1125 1167">Øjne</td> <td data-bbox="1125 1057 1552 1167">Skyl med masser af vand eller øjendråber u 15 minutter. Søg lægehjælp såfremt irritation fortsætter</td> </tr> <tr> <td data-bbox="785 1176 1125 1263">Skin</td> <td data-bbox="1125 1176 1552 1263">Produktet er godkendt til kosmetisk brug hvorfor der ikke er risiko for skade. Sky med vand..</td> </tr> <tr> <td data-bbox="785 1272 1125 1413">Inhalation</td> <td data-bbox="1125 1272 1552 1413">Frisk luft. Såfremt der fortsat er åndedrætsbesvær brug efter lægekonsultation anvend anti-histamin</td> </tr> </table>	Øjne	Skyl med masser af vand eller øjendråber u 15 minutter. Søg lægehjælp såfremt irritation fortsætter	Skin	Produktet er godkendt til kosmetisk brug hvorfor der ikke er risiko for skade. Sky med vand..	Inhalation	Frisk luft. Såfremt der fortsat er åndedrætsbesvær brug efter lægekonsultation anvend anti-histamin																												
Eyes	Flush with plenty of water or eye wash solution for 15 minutes. Get medical attention if irritation persists																																								
Skin	Due to its use in cosmetics, no adverse effects are expected, remove to fresh air.																																								
Inhalation	Remove to fresh air. If continued respiratory irritation occurs or if breathing becomes difficult, see anti-histamine under medical supervision.																																								
Øjne	Skyl med masser af vand eller øjendråber u 15 minutter. Søg lægehjælp såfremt irritation fortsætter																																								
Skin	Produktet er godkendt til kosmetisk brug hvorfor der ikke er risiko for skade. Sky med vand..																																								
Inhalation	Frisk luft. Såfremt der fortsat er åndedrætsbesvær brug efter lægekonsultation anvend anti-histamin																																								
<table border="1"> <tr> <td colspan="2" data-bbox="38 1422 778 1473">Fire fighting measures</td> </tr> <tr> <td data-bbox="38 1473 383 1503">Flash point</td> <td data-bbox="383 1473 778 1503">Non – flammable</td> </tr> <tr> <td data-bbox="38 1503 383 1532">Extinguishing Media</td> <td data-bbox="383 1503 778 1532">Water</td> </tr> <tr> <td data-bbox="38 1532 383 1588">Special fire fighting procedures</td> <td data-bbox="383 1532 778 1588">N/A</td> </tr> <tr> <td data-bbox="38 1588 383 1644">Unusual Fire & Exposure Hazards</td> <td data-bbox="383 1588 778 1644">N/A</td> </tr> <tr> <td colspan="2" data-bbox="38 1644 778 1700">Accidental release Measures for spills</td> </tr> <tr> <td data-bbox="38 1700 383 1794">Precautions:</td> <td data-bbox="383 1700 778 1794">Avoid inhalation and contact with eyes. Use suitable protective gear.</td> </tr> <tr> <td data-bbox="38 1794 383 1879">Methods for cleaning-up</td> <td data-bbox="383 1794 778 1879">Sweep up or flush with water and dispose of according to local regulations</td> </tr> <tr> <td colspan="2" data-bbox="38 1879 778 1908">Handling and Storage</td> </tr> <tr> <td data-bbox="38 1908 383 2072">Safe handling</td> <td data-bbox="383 1908 778 2072">Avoid dust formation. Provide appropriate ventilation where dust forms. In the event where there is insufficient ventilation wear suitable breathing equipment.</td> </tr> </table>	Fire fighting measures		Flash point	Non – flammable	Extinguishing Media	Water	Special fire fighting procedures	N/A	Unusual Fire & Exposure Hazards	N/A	Accidental release Measures for spills		Precautions:	Avoid inhalation and contact with eyes. Use suitable protective gear.	Methods for cleaning-up	Sweep up or flush with water and dispose of according to local regulations	Handling and Storage		Safe handling	Avoid dust formation. Provide appropriate ventilation where dust forms. In the event where there is insufficient ventilation wear suitable breathing equipment.	<table border="1"> <tr> <td colspan="2" data-bbox="785 1422 1552 1451">Forholdsregler ved brand</td> </tr> <tr> <td data-bbox="785 1451 1125 1480">Brændpunkt</td> <td data-bbox="1125 1451 1552 1480">Ikke brandfarlig</td> </tr> <tr> <td data-bbox="785 1480 1125 1509">Slukningsmidler</td> <td data-bbox="1125 1480 1552 1509">vand</td> </tr> <tr> <td data-bbox="785 1509 1125 1538">Specielle sluknings procedurer</td> <td data-bbox="1125 1509 1552 1538">ingen</td> </tr> <tr> <td data-bbox="785 1538 1125 1594">Usædvanlige brand og eksplosionsrisici</td> <td data-bbox="1125 1538 1552 1594">ingen</td> </tr> <tr> <td colspan="2" data-bbox="785 1594 1552 1650">Forholdsregler ved uhensigtsmæssig spild</td> </tr> <tr> <td data-bbox="785 1650 1125 1767">Forholdsregler</td> <td data-bbox="1125 1650 1552 1767">Undgå indhalering og kontakt med øjne. Brug passende beskyttende udstyr (maske/beskyttelsesbriller)</td> </tr> <tr> <td data-bbox="785 1767 1125 1852">Oprydnings metode</td> <td data-bbox="1125 1767 1552 1852">Fej eller skyl med vand og anvend locale affaldsforeskrifter</td> </tr> <tr> <td colspan="2" data-bbox="785 1852 1552 1881">Behandling og opbevaring</td> </tr> <tr> <td data-bbox="785 1881 1125 2072">Sikker behandling</td> <td data-bbox="1125 1881 1552 2072">Undgå støvstøvning. Drag omsorg for passende ventiler der hvor støv samles. Såfremt der er utilstrækkelig ventilering anvendes masker, som muliggør normal vejtrækning.</td> </tr> </table>	Forholdsregler ved brand		Brændpunkt	Ikke brandfarlig	Slukningsmidler	vand	Specielle sluknings procedurer	ingen	Usædvanlige brand og eksplosionsrisici	ingen	Forholdsregler ved uhensigtsmæssig spild		Forholdsregler	Undgå indhalering og kontakt med øjne. Brug passende beskyttende udstyr (maske/beskyttelsesbriller)	Oprydnings metode	Fej eller skyl med vand og anvend locale affaldsforeskrifter	Behandling og opbevaring		Sikker behandling	Undgå støvstøvning. Drag omsorg for passende ventiler der hvor støv samles. Såfremt der er utilstrækkelig ventilering anvendes masker, som muliggør normal vejtrækning.
Fire fighting measures																																									
Flash point	Non – flammable																																								
Extinguishing Media	Water																																								
Special fire fighting procedures	N/A																																								
Unusual Fire & Exposure Hazards	N/A																																								
Accidental release Measures for spills																																									
Precautions:	Avoid inhalation and contact with eyes. Use suitable protective gear.																																								
Methods for cleaning-up	Sweep up or flush with water and dispose of according to local regulations																																								
Handling and Storage																																									
Safe handling	Avoid dust formation. Provide appropriate ventilation where dust forms. In the event where there is insufficient ventilation wear suitable breathing equipment.																																								
Forholdsregler ved brand																																									
Brændpunkt	Ikke brandfarlig																																								
Slukningsmidler	vand																																								
Specielle sluknings procedurer	ingen																																								
Usædvanlige brand og eksplosionsrisici	ingen																																								
Forholdsregler ved uhensigtsmæssig spild																																									
Forholdsregler	Undgå indhalering og kontakt med øjne. Brug passende beskyttende udstyr (maske/beskyttelsesbriller)																																								
Oprydnings metode	Fej eller skyl med vand og anvend locale affaldsforeskrifter																																								
Behandling og opbevaring																																									
Sikker behandling	Undgå støvstøvning. Drag omsorg for passende ventiler der hvor støv samles. Såfremt der er utilstrækkelig ventilering anvendes masker, som muliggør normal vejtrækning.																																								

Storage	Keep container closed and protect from humidity, light and heat <30C	Opbevaring	Hold beholder lyuket og beskyt denne for fugt, lys og varme <30 C.
Exposure control/ Personal protection		Kontrol af beskyttelsesforanstaltninger/ Personlig sikkerhed	
Eye	Safety glasses	Øjne	Sikkerhedsbriller
Skin/Body	Gloves/lab coats	Hud/legeme	Handsker/laboratorieudstyr
Respiratory	Wear	Åndedræt	Maske
Ventilation	Ensure good ventilation of the work situation	Ventilation	Sørg for god ventilation på arbejdsstedet
Other	Evaluate need based on application	Andet	Vurderes baseret på arbejdssituationen
Work hygiene practice	Normal work and hygiene practices	Arbejdets hygiene praksis	Normal arbejdhigiene
Physical and chemical properties		Fysiske og kemiske egenskaber	
Physical state	TBC	Fysisk	Som anført
Color	Red	Farve	rød
Odor	Characteristic	Lugt	karakteristisk
Stability and activity		Stabilitet af aktivitet	
Stability	Stable	Stabilitet	Stabil
Incompatibility (Materials to avoid)	Steel, aluminum, acidic or alkaline media, oxidizing agents	inkompatibilitet (Materialer der skal undgås)	Stål, aluminium, syre eller alkaline , oxidative produkter
Hazardous Decomposition or byproducts	N/a	Farlige nedbrydning/biprodukter	Ikke relevant
Conditions to avoid	Avoid contamination of product	Undgå	Undgå forurening af produktet
Toxicology information		Toxicologisk information	
Toxicity Data	No toxicity has been reported in recommended doses	Toxiditets dataa	Der er ikke rapport om gift I de anbefalede doser
Ecological information		Økologisk information	
Persistence and degradability	No information	Persistens og nedbrydelighed	Ingen information
Disposals considerations		Disponerings overvejelser	
Waste disposal methods	Dispose of according to local, state and federal regulations	Metoder for affalds disponering	Dispones iht lokale henstillinger/lovlige regler
Transport information		Transport information	
DOT classification	Not classified	DOT classification	ikke classified
IATA Classification	Not classified	IATA Classification	ikke classified
IMDG	Not Classified	IMDG	ikke Classified

Storage: dry at ambient temperature

Opbevaring: tørt I lukket emballage alm rum

Keepability: 2 years from the date of packing

Holdbarhed: min 2 år fra pakkedato

EAN 8 906018570066

EAN 8 906018570066



Imported in EU from India. Organic cultivated dried and packed in ISO 22000:2005 certified factory.



Importet fra Indien. Økologisk dyrket og tørret i ISO 22000:2005 certificeret virksomhed.

Packing specification:

Item 1106

Packed in ziplock bags each of 12 teabags = 24 g net
 6 ziplock bags per inner carton = 144 g net (72 teabags)
 36 innercartons per master = 5.184 kg (2592 teabags)
 Pallet: 22 mastercartons = 114,05 kg (57.024 teabags)
 Volume:
 Inner carton: 22,6x14x18,6 cm
 Master carton: 45,5x24,2x39,5 cm
 Pallet: 120x80x

Pakkespecifikation

Varenummer: 1106

Pakket i ziplock pose/12 teposer= 24 g netto
 6 ziplock poser/inderkarton= 144 g netto (72 teposer)
 36 inderkartoner/master = 5.184 kg (2592 teposer)
 Palle: 22 masterkartoner = 114,5 kg (57.024 teposer)
 Volumen:
 Inderkrr: 22,6x14x18,6 cm
 Master krt: 45,5x24,2x29,5 cm
 Palle: 120x80x